

SPECIFICATIONS

RESISTANCE: 1200 OHMS ±20%

INDUCTANCE: 400 mH ±25%

OUTPUT: 0.5 V P-P MIN. UNDER THE FOLLOWING CONDITIONS:

TEST GEAR: SINGLE TOOTH (XC#192)


VELOCITY: 10 IPS

AIR GAP: 0.050"

LOAD: 100 KOHM

POLARITY: WHITE LEAD POSITIVE WITH RESPECT TO BLACK LEAD WITH THE APPROACH OF FERROUS METAL

TEMPERATURE: -40°C TO +107°C



CASE AND NUT MATERIAL: 303 STAINLESS STEEL

UNLESS OTHERWISE SPECIFIED:

ALL WIRES 16GA

DO NOT SCALE DRAWING

PURCHASE ORDER:

Panelsource

Engine & Generator Controls

TITLE:

DSC8933

5/8" MAGNETIC PICKUP

DRAWN BY:

BK

SCALE:

NONE

CHECKED:

DATE:

08/14/06

DRAWING NUMBER:

DSC8933.DWG

SHEET 1 OF 1

* DISCLAIMER, WE RESERVE THE RIGHT TO CHANGE ANY, OR ALL OF THE INFORMATION ON THIS SCHEMATIC WITHOUT NOTIFICATION.